

=> d his

(FILE 'HOME' ENTERED AT 16:28:46 ON 05 JAN 2007)

FILE 'CAPLUS, MEDLINE, SCISEARCH, BIOSIS' ENTERED AT 16:29:06 ON 05 JAN 2007

L1 4030 S POLYMER AND COMBINATORIAL
L2 14 S L1 AND CONTINUOUSLY
L3 12 DUP REM L2 (2 DUPLICATES REMOVED)

FILE 'PCTFULL' ENTERED AT 16:31:20 ON 05 JAN 2007

L4 1 S WO200238354/PN

=>

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	17384	chemical engineer\$	US-PGPUB; USPAT	2007/01/05 15:30
2	BRS	L2	22193	chemical engineer\$ or process engineer\$	US-PGPUB; USPAT	2007/01/05 15:56
3	BRS	L3	9	l2 and conveying rate	US-PGPUB; USPAT	2007/01/05 15:47
4	BRS	L4	0	l2 and (conveying rate same periodic)	US-PGPUB; USPAT	2007/01/05 15:32
5	BRS	L5	3	l2 and (conveying rate and periodic)	US-PGPUB; USPAT	2007/01/05 15:32
6	BRS	L6	17	l2 and (pump same rate same periodic)	US-PGPUB; USPAT	2007/01/05 15:32
7	BRS	L7	82	l2 and (pump\$ same rate same periodic\$)	US-PGPUB; USPAT	2007/01/05 15:32
8	BRS	L8	503	conveying rate	US-PGPUB; USPAT	2007/01/05 15:47
9	BRS	L9	3	conveying rate same periodic	US-PGPUB; USPAT	2007/01/05 15:48
10	BRS	L10	2	conveying rate same sinusoid\$	US-PGPUB; USPAT	2007/01/05 15:49
11	BRS	L11	27	pump\$ rate same sinusoid\$	US-PGPUB; USPAT	2007/01/05 15:51
12	BRS	L12	760	combinatorial mixing	US-PGPUB; USPAT	2007/01/05 15:52
13	BRS	L13	2	combinatorial mixing same (periodic\$ or sinusoid\$)	US-PGPUB; USPAT	2007/01/05 15:52
14	BRS	L14	84	l2 and (conveying rate or mixing rate)	US-PGPUB; USPAT	2007/01/05 16:25

	Comments	Error Definition	Errors
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			

	Type	L #	Hits	Search Text	DBs	Time Stamp
15	BRS	L15	0	Nielsen.in. and varying hardnes	US- PGPUB; USPAT	2007/01/05 16:25
16	BRS	L16	0	Nielsen.in. and varying hardness	US- PGPUB; USPAT	2007/01/05 16:25
17	BRS	L17	1	Nielsen.in. and bitsch.in.	US- PGPUB; USPAT	2007/01/05 16:25

	Comments	Error Definition	Errors
15			
16			
17			